

# Price List 2016

## TURKEY

AGRICULTURAL, MPT, EM,  
INDUSTRIAL and TRUCK TYRES



Valid from 1 of February 2016

## Agricultural, Multipurpose (MPT), Earthmover (EM), Industrial and Truck Tyres

RD	Tractor and Harvester Radial Tyres	.....
TD	Tractor Drive Diagonal Tyres	.....
AF	Agro Forestry Tyres	.....
TF	Tractor Front Tyres	.....
AR	Implement Radial Tyres	.....
IM	Implement Diagonal Tyres	.....
TR	Implement Traction Diagonal Tyres	.....
TS	Tractor Small Diagonal Tyres	.....
MPTR	Multipurpose Radial Tyres	.....
MPT	Multipurpose Diagonal Tyres	.....
EMR	Earthmover Radial Tyres	.....
CR	Crane Radial Tyres	.....
INDR	Industrial Radial Tyres	.....
EM	Earthmover Diagonal Tyres	.....
EX	Excavator Diagonal Tyres	.....
TIR	Tractor Industrial Radial Tyres	.....
TI	Tractor Industrial Diagonal Tyres	.....
COM	Roller and Tractor Grader Tyres	.....
SK	Skid Steer Diagonal Tyres	.....
FL	Fork Lift Diagonal Tyres	.....
CT	Truck Radial and Diagonal Tyres	.....
GI	General	.....

**TL = Tubeless**  
**TT = Tube Type**

Prices to be understood net FCA Czech Republic in US Dollars.  
 We reserve the right to adjust prices without prior notice.  
 Deliveries are effected under general sales conditions.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

# Tractor and Harvester Radial Tyres



HC 3000    HC 2000    HC 1000    SFT    SST    AC 65    HC 70    AC 70 G    AC 70 T    AC 85    AC 90    AC 70 H / N

Rim	Size	Equivalent	LI/SS	Pattern	TL/TT	Code	Price	Note
16"	200/70 R 16		94A8 (94B)	AC 70 T	TL			
	240/70 R 16		104A8 (104B)	AC 70 T	TL			
	260/70 R 16		109A8 (109B)	AC 70 T	TL			
	265/70 R 16 MPT		114G	AC 70 G	TL			
	280/70 R 16		112A8 (112B)	AC 70 T	TL			
	285/80 R 16 MPT		126G	AC 70 G	TL			
	320/65 R 16		117D (120A8)	AC 65	TL			
17"	425/55 R 17 MPT		134G	AC 70 G	TL			
18"	280/70 R 18		114A8 (114B)	AC 70 T	TL			
	325/70 R 18 MPT		125G	AC 70 G	TL			
	365/70 R 18 MPT		132G	AC 70 G	TL			
20"	260/70 R 20		113A8 (113B)	AC 70 T	TL			
	275/80 R 20 MPT		131G	AC 70 G	TL			
	280/70 R 20		116A8 (116B)	AC 70 T	TL			
	280/85 R 20		112A8 (112B)	AC 85	TL			
	300/70 R 20		110A8 (110B)	AC 70 T	TL			
	320/70 R 20		113A8 (113B)	AC 70 T	TL			
	335/80 R 20 MPT		134G	AC 70 G	TL			
	360/70 R 20		120A8 (120B)	AC 70 T	TL			
	375/70 R 20 MPT		136G	AC 70 G	TL			
	380/70 R 20		122A8 (122B)	AC 70 T	TL			
	405/70 R 20 MPT		136G	AC 70 G	TL			
	420/65 R 20		125D (128A8)	AC 65	TL			
	420/65 R 20		125D (128A8)	AC 65 N	TL			
	425/75 R 20 MPT		148G	AC 70 G	TL			
22.5"	445/65 R 22.5 MPT		160 G	AC 70 +	TL			
24"	280/85 R 24	11.2R24	115A8 (115B)	AC 85	TL			
	320/70 R 24		116D (119A8)	HC 70	TL			
	320/70 R 24		116A8 (116B)	AC 70 T	TL			
	320/85 R 24	12.4R24	122A8 (122B)	AC 85	TL			
	340/85 R 24	13.6R24	125A8 (125B)	AC 85	TL			
	360/70 R 24		122D (125A8)	HC 70	TL			
	360/70 R 24		122A8 (122B)	AC 70 T	TL			
	380/70 R 24		125D (128A8)	HC 70	TL			
	380/70 R 24		125A8 (122B)	AC 70 G	TL			
	380/70 R 24		125A8 (125B)	AC 70 T	TL			
	380/85 R 24	14.9R24	131A8 (131B)	AC 85	TL			
	405/70 R 24 MPT		149G	AC 70 G	TL			
	420/70 R 24		130D (133A8)	HC 70	TL			
	420/70 R 24		130A8 (127B)	AC 70 G	TL			
	420/70 R 24		130A8 (130B)	AC 70 T	TL			
	420/85 R 24	16.9R24	137A8 (137B)	AC 85	TL			
	440/65 R 24		128D (131A8)	AC 65	TL			
	445/70 R 24 MPT		151G	AC 70 G	TL			
	460/70 R 24 IMP		163A8/151A8	AC 70 G	TL			

# Tractor and Harvester Radial Tyres



HC 3000    HC 2000    HC 1000    SFT    SST    AC 65    HC 70    AC 70 G    AC 70 T    AC 85    AC 90    AC 70 H / N

Rim	Size	Equivalent	LI/SS	Pattern	TL/TT	Code	Price	Note
	480/65 R 24		133D (136A8)	AC 65	TL			
	480/70 R 24		138D (141A8)	HC 70	TL			
	480/70 R 24		138A8 (138B)	AC 70 G	TL			
	495/70 R 24 MPT		155G	AC 70 G	TL			
	500/70 R 24 IMP		164A8/155A8	AC 70 G	TL			
	500/85 R 24 IMP		171A8/158A8	SFT	TL			
	500/85 R 24 IMP		177A8/165A8	SFT	TL			
	540/65 R 24		140D (143A8)	AC 65	TL			
	540/65 R 24		146D (149A8)	AC 65	TL			
25"	1000/50 R 25		172A8 (166D)	SFT	TL			
	1000/50 R 25		175D (178A8)	SFT	TL			
26"	620/75 R 26		166D (169A8)	SFT	TL			
	750/65 R 26		166D (169A8)	SFT	TL			
28"	280/85 R 28	11.2R28	118A8 (118B)	AC 85	TL			
	320/85 R 28	12.4R28	124A8 (124B)	AC 85	TL			
	340/85 R 28	13.6R28	127A8 (127B)	AC 85	TL			
	380/70 R 28		127D (130A8)	HC 70	TL			
	380/70 R 28		127A8 (127B)	AC 70 T	TL			
	380/85 R 28	14.9R28	133A8 (133B)	AC 85	TL			
	420/70 R 28		133D (136A8)	HC 70	TL			
	420/70 R 28		133A8 (133B)	AC 70 G	TL			
	420/70 R 28		133A8 (133B)	AC 70 T	TL			
	420/85 R 28	16.9R28	139A8 (139B)	AC 85	TL			
	440/65 R 28		131D (134A8)	AC 65	TL			
	440/70 R 28 IND		152A8 (152B)	AC 70 G	TL			
	480/65 R 28		136D (139A8)	AC 65	TL			
	480/70 R 28		140D (143A8)	HC 70	TL			
	480/70 R 28		140A8 (140B)	AC 70 T	TL			
	500/80 R 28 IMP		176A8/164A8	SFT	TL			
	540/65 R 28		142D (145A8)	SFT	TL			
	540/65 R 28		142D (145A8)	AC 65	TL			
	600/65 R 28		154D (157A8)	SFT	TL			
	600/65 R 28		147D (150A8)	AC 65	TL			
	600/65 R 28 IMP		168A8/156A8	AC 65	TL			
	600/70 R 28		157D (160A8)	SFT	TL			
	600/70 R 28		161D (164A8)	SFT	TL			
30"	380/85 R 30	14.9R30	135A8 (135B)	AC 85	TL			
	420/70 R 30		134D (137A8)	HC 70	TL			
	420/70 R 30		134A8 (134B)	AC 70 T	TL			
	420/85 R 30	16.9R30	140A8 (140B)	AC 85	TL			
	420/90 R 30		147A8 (147B)	AC 85	TL			
	460/85 R 30	18.4R30	145A8 (145B)	AC 85	TL			
	480/70 R 30		141D (144A8)	HC 70	TL			
	480/70 R 30		152D (155A8)	HC 70	TL			
	480/70 R 30		141A8 (141B)	AC 70 G	TL			
	480/70 R 30		141A8 (141B)	AC 70 T	TL			
	500/85 R 30 IMP		176A8/164A8	SFT	TL			In preparation
	540/65 R 30		150D (153A8)	SFT	TL			

# Tractor and Harvester Radial Tyres



HC 3000    HC 2000    HC 1000    SFT    SST    AC 65    HC 70    AC 70 G    AC 70 T    AC 85    AC 90    AC 70 H / N

Rim	Size	Equivalent	LI/SS	Pattern	TL/TT	Code	Price	Note
	540/65 R 30		150D (153A8)	AC 65	TL			
	540/65 R 30 IMP		168A8/156A8	AC 65	TL			
	600/65 R 30		149D (152A8)	AC 65	TL			
	VF 600/70 R 30		165B	HC 2000	TL			
	600/70 R 30		152D (155A8)	SFT	TL			
	620/70 R 30 IMP		178A8/166A8	SFT	TL			
	620/70 R 30 IMP		178A8/166A8	SFT N	TL			
	620/75 R 30		163D (166A8)	SFT	TL			
	620/75 R 30 IMP		180A8/168A8	SFT	TL			
	710/55 R 30		159D (162 A8)	SFT	TL			
	710/60 R 30		162D (165 A8)	SFT	TL			
	710/60 R 30 IMP		180A8/162A8	SFT	TL			
	710/65 R 30 IMP		182A8/165A8	SFT	TL			
	750/55 R 30		162D (165A8)	SFT	TL			
32"	270/80 R 32	9.5R32	131A8 (128B)	AC 90	TL			
	270/95 R 32		136A8 (136B)	AC 85	TL			
	320/85 R 32	12.4R32	142A8 (142B)	AC 85	TL			
	320/90 R 32		134A8 (134B)	AC 85	TL			
	650/75 R 32		167A8 (164B)	AC 70 H	TL			
	650/75 R 32		167A8 (164B)	AC 75 G	TL			
	650/75 R 32		172A8 (169B)	AC 70 G	TL			
	680/85 R 32 CHO		178A8 (175B)	AC 70 G	TL			
	680/85 R 32		173A8 (170B)	AC 70 G	TL			
	680/85 R 32		178A8 (175B)	AC 70 G	TL			
	800/65 R 32		167A8 (164B)	AC 70 H	TL			
	800/65 R 32		172A8 (169B)	AC 70 H	TL			
	800/65 R 32		178A8 (175B)	AC 70 N	TL			
	800/70 R 32 CHO		175A8 (172B)	SFT	TL			
	800/70 R 32		175A8 (172B)	SFT	TL			
	900/60 R 32 CHO		176A8 (173B)	SFT	TL			
	900/60 R 32		176A8 (173B)	SFT	TL			
	900/60 R 32		181A8 (178B)	SFT	TL			
	900/70 R 32 CHO		182A8 (179B)	SFT	TL			
	900/70 R 32		188A8 (185B)	SFT	TL			
	1050/50 R 32		178A8 (178B)	SFT	TL			
	1250/50 R 32		188A8 (185B)	SFT	TL			
	1250/50 R 32		194A8 (191B)	SFT	TL			
34"	320/85 R 34	12.4R34	133A8 (133B)	AC 85	TL			
	380/85 R 34	14.9R34	146A8 (146B)	AC 85	TL			
	420/85 R 34	16.9R34	142A8 (142B)	AC 85	TL			
	420/85 R 34	16.9R34	147A8 (147B)	AC 85	TL			
	460/85 R 34	18.4R34	147A8 (147B)	AC 85	TL			
	480/70 R 34		143D (146A8)	HC 70	TL			
	480/70 R 34		143A8 (143B)	AC 70 G	TL			
	480/70 R 34		143A8 (143B)	AC 70 T	TL			
	500/85 R 34 IMP		178A8/166A8	SFT	TL			In preparation
	520/70 R 34		148D (151A8)	HC 70	TL			
	520/70 R 34		148A8 (148B)	AC 70 G	TL			
	520/70 R 34		148A8 (148B)	AC 70 T	TL			
	540/65 R 34		145D (148A8)	AC 65	TL			
	600/65 R 34		151D (154A8)	AC 65	TL			

# Tractor and Harvester Radial Tyres



HC 3000    HC 2000    HC 1000    SFT    SST    AC 65    HC 70    AC 70 G    AC 70 T    AC 85    AC 90    AC 70 H / N

Rim	Size	Equivalent	LI/SS	Pattern	TL/TT	Code	Price	Note
	650/60 R 34		159D (162A8)	SFT	TL			
	650/65 R 34		161D (164A8)	SFT	TL			
	710/60 R 34		164D (167A8)	SFT	TL			
36"	270/80 R 36		134A8 (131B)	AC 90	TL			
38"	320/85 R 38	12.4R38	143A8 (143B)	AC 85	TL			
	340/85 R 38	13.6R38	133A8 (133B)	AC 85	TL			
	340/85 R 38	13.6R38	148A8 (148B)	AC 85	TL			
	380/80 R 38	14.9R38	142A8 (142B)	AC 85	TL			
	VF 380/95 R 38		154B	HC 2000	TL			
	380/95 R 38		147D (150A8)	AC 85	TL			
	420/85 R 38	16.9R38	144A8 (144B)	AC 85	TL			
	460/85 R 38	18.4R38	149A8 (149B)	AC 85	TL			
	480/70 R 38		145D (148A8)	HC 70	TL			
	480/70 R 38		145A8 (145B)	AC 70 T	TL			
	520/70 R 38		150D (153A8)	HC 70	TL			
	520/70 R 38		150A8 (150B)	AC 70 G	TL			
	520/70 R 38		150A8 (150B)	AC 70 T	TL			
	520/85 R 38	20.8R38	155A8 (155B)	AC 85	TL			
	540/65 R 38		147D (150A8)	AC 65	TL			
	580/70 R 38		155D (158A8)	HC 70	TL			
	580/70 R 38		155A8 (155B)	AC 70 T	TL			
	600/65 R 38		153D (156A8)	SST	TL			
	600/65 R 38		153D (156A8)	AC 65	TL			
	650/65 R 38		157D (160A8)	SFT	TL			
	650/65 R 38		157D (160A8)	SST	TL			
	650/65 R 38		157D (160A8)	AC 65	TL			
	650/65 R 38		166D (169A8)	AC 65	TL			
	650/75 R 38		169D (172A8)	SFT	TL			
	650/85 R 38		173D (176A8)	SFT	TL			
	680/80 R 38 CHO		179D (182A8)	SFT	TL			
	710/70 R 38		166D (169A8)	SFT	TL			
	710/70 R 38		166D (169A8)	AC 65	TL			
	710/70 R 38		171D (174A8)	SFT	TL			
	800/70 R 38 CHO		178D (181A8)	SFT	TL			
	800/70 R 38 CHO		181D (184A8)	SFT	TL			In preparation
	800/70 R 38		173D (176A8)	SFT	TL			
	800/70 R 38		178D (181A8)	SFT	TL			
	900/60 R 38 CHO		178D (181A8)	SFT	TL			
	900/60 R 38 CHO		181D (184A8)	SFT	TL			In preparation
	900/60 R 38		172D (175A8)	SFT	TL			
	900/60 R 38		178D (181A8)	SFT	TL			
42"	300/85 R 42	11.2R42	144A8 (141B)	AC 90	TL			
	300/95 R 42		147A8 (144B)	AC 90	TL			
	480/80 R 42	18.4R42	151A8 (151B)	AC 85	TL			
	VF 520/85 R 42		174B	HC 2000	TL			
	VF 520/85 R 42 CFO		177B	HC 3000	TL			
	520/85 R 42	20.8R42	162A8 (162B)	AC 85	TL			
	580/85 R 42		163D (166A8)	SFT	TL			

# Tractor and Harvester Radial Tyres



HC 3000    HC 2000    HC 1000    SFT    SST    AC 65    HC 70    AC 70 G    AC 70 T    AC 85    AC 90    AC 70 H / N

Rim	Size	Equivalent	LI/SS	Pattern	TL/TT	Code	Price	Note
	VF 580/85 R 42 CFO		183B	HC 3000	TL			
	650/65 R 42		165D (168A8)	SST	TL			
	650/65 R 42		165D (168A8)	AC 65	TL			
	650/75 R 42		165D (168A8)	SFT	TL			
	680/80 R 42 CHO		180D (183A8)	SFT	TL			
	680/80 R 42		180D (183A8)	SFT	TL			
	710/70 R 42		173D (176A8)	SFT	TL			
	VF 710/70 R 42		179B	HC 2000	TL			
	VF 710/70 R 42 CFO		190B	HC 3000	TL			
	710/75 R 42		175 D (178 A8)	SFT	TL			
	900/60 R 42 CHO		183D (186A8)	SFT	TL			In preparation
	900/60 R 42		180D (183A8)	SFT	TL			
46"	300/95 R 46		148A8 (148B)	AC 85	TL			
	320/95 R 46		148A8 (148B)	AC 85	TL			
	VF 380/90 R 46		173D	HC 1000	TL			
	380/90 R 46	14.9R46	149A8 (149B)	AC 85	TL			
	380/90 R 46	14.9R46	159A8 (159B)	AC 85	TL			
	480/80 R 46	18.4R46	158A8 (158B)	AC 85	TL			
	520/85 R 46	20.8R46	158A8 (158B)	AC 85	TL			
	IF 710/65 R 46		183D	SFT	TL			
	710/65 R 46		174D (177A8)	SFT	TL			
48"	270/95 R 48		144A8 (141B)	AC 90	TL			
	340/90 R 48	13.6R48	152A8 (152B)	AC 85	TL			
50"	320/90 R 50		150A8 (150B)	AC 85	TL			
	380/90 R 50	14.9R50	151A8 (151B)	AC 85	TL			
	380/90 R 50	14.9R50	160A8 (160B)	AC 85	TL			
	VF 480/95 R 50		170B	HC 2000	TL			
	480/80 R 50		159A8 (159B)	AC 85	TL			
	480/95 R 50		164D (167A8)	AC 85	TL			
54"	320/90 R 54		151A8 (151B)	AC 85	TL			
	VF 380/105 R 54		168B	HC 2000	TL			
	380/105 R 54		162D (164B)	AC 85	TL			



# Tractor Drive Diagonal Tyres



TD-01

TD-02

TD-05

TD-10

TD-13

TD-17

TD-19

Rim	Size	PR	Pattern	TL/TT	Code	Price	Note
20"	8.3 - 20	6PR	TD-13	TT	2000052324101		
24"	8.3 - 24	6PR	TD-02	TT	1013089930000		
	9.5 - 24	8PR	TD-02	TT	1013090390000		
	11.2 - 24	6PR	TD-10	TL	5001511340000		
	11.2 - 24	8PR	TD-02	TT	1013092230000		
	11.2 - 24	8PR	TD-19	TT	1013092290000		
	11.2 - 24	8PR	TD-19	TL	1013092310000		
	11.2 - 24	10PR	TD-19	TL	1013092330000		
	12.4 - 24	8PR	TD-02	TT	1013094230000		
	12.4 - 24	8PR	TD-19	TT	1013094280000		
	12.4 - 24	8PR	TD-19	TL	1013094310000		
	12.4 - 24	12PR	TD-19	TL	1013094430000		
	13.6 - 24	8PR	TD-19	TL	1013095040000		
	14.9 - 24	8PR	TD-02	TT	1013098230000		
	14.9 - 24	8PR	TD-19	TT	5001504200000		
	14.9 - 24	8PR	TD-19	TL	1013098270000		
	16.9 - 24	8PR	TD-02	TT	1013101260000		
	16.9 - 24	8PR	TD-13	TT	1013101290000		
	16.9 - 24	8PR	TD-13	TL	1013101280000		
26"	18.4 - 26	12PR	TD-19	TL	5001510916000		
	23.1 - 26	14PR	TD-01	TL	1013201710000		
28"	11.2 - 28	6PR	TD-02	TT	1013201790000		
	11.2 - 28	8PR	TD-02	TT	1013201820000		
	12.4 - 28	6PR	TD-19	TT	5001501225000		
	12.4 - 28	8PR	TD-02	TT	1013201880000		
	12.4 - 28	10PR	TD-19	TT	5001501222000		
	13.6 - 28	6PR	TD-19	TT	5001501329000		
	14.9 - 28	8PR	TD-19	TT	5001501432000		
	16.9 - 28	8PR	TD-13	TT	5001501538000		
	16.9 - 28	10PR	TD-02	TT	5001504770000		
	16.9 - 28	10PR	TD-13	TT	5001501533000		
30"	16.9 - 30	8PR	TD-13	TT	5001501740000		
	16.9 - 30	8PR	TD-13	TL	1013202880000		
	16.9 - 30	8PR	TD-17	TT	5001501748000		
	16.9 - 30	10PR	TD-13	TT	5001501741000		
	16.9 - 30	10PR	TD-17	TT	5001504210000		
	16.9 - 30	12PR	TD-13	TT	5001501743000		
	18.4 - 30	8PR	TD-13	TT	5001501854000		
	18.4 - 30	8PR	TD-13	TL	4006324050000		
	18.4 - 30	12PR	TD-13	TT	5001501850000		
18.4 - 30	14PR	TD-13	TT	5001501851000			

# Tractor Drive Diagonal Tyres



TD-01



TD-02



TD-05



TD-10



TD-13



TD-17



TD-19

Rim	Size	PR	Pattern	TL/TT	Code	Price	Note
32"	9.5 - 32	6PR	TD-13	TT	5001502061000		
	12.4 - 32	6PR	TD-13	TT	5001502158000		
34"	16.9 - 34	8PR	TD-02	TT	1013203310000		
	16.9 - 34	8PR	TD-17	TT	5001504030000		
	16.9 - 34	10PR	TD-02	TT	1013203540000		
	18.4 - 34	8PR	TD-19	TT	5001502370000		
	18.4 - 34	8PR	TD-19	TL	1013204130000		
	18.4 - 34	12PR	TD-02	TT	5001504800000		
	18.4 - 34	12PR	TD-19	TT	5001502367000		
36"	12.4 - 36	6PR	TD-13	TT	5001502671000		
	12.4 - 36	12PR	TD-13	TT	5001504540000		
	13.6 - 36	6PR	TD-13	TT	5001502774000		
38"	12.4 - 38	8PR	TD-17	TT	5001502878000		
	13.6 - 38	6PR	TD-02	TT	5001504790000		
	13.6 - 38	6PR	TD-13	TT	5001502979000		
	13.6 - 38	14PR	TD-13	TT	5001504550000		
	14.9 - 38	6PR	TD-05	TT	1013205490000		
	15.5 - 38	8PR	TD-05	TT	1013205610000		
	15.5 - 38	8PR	TD-05	TL	1013205650000		
	16.9 - 38	8PR	TD-19	TT	1013205740000		
	16.9 - 38	8PR	TD-19	TL	1013205780000		
16.9 - 38	8PR	TD-13	TT	5001503081000			
18.4 - 38	8PR	TD-19	TT	5001503183000			
18.4 - 38	8PR	TD-19	TL	1013206090000			



AF-01



TL-01

Rim	Size	Equivalent	LI/SS	Pattern	TL/TT	Code	Price	N o t e
24"	380/85 - 24	(14.9-24)	137A8	AF-01	TT			
28"	380/85 - 28	(14.9-28)	139A8	AF-01	TT			
30"	16.9 - 30		12PR	TL-01	TT			
34"	420/85 - 34	(16.9-34)	147A8	AF-01	TT			
	460/85 - 34	(18.4-34)	152A8	AF-01	TT			

## Tractor Front Tyres



TF-01

TF-03

TF-04

TF-05

TF-

IM-05

Rim	Size	PR	Pattern	TL/TT	Code	Price	No te
16"	6.00 - 16	6PR	TF-01	TT			
	6.00 - 16	6PR	TF-03	TT			
	6.00 - 16	6PR	TF-06	TT			
	6.50 - 16	6PR	TF-03	TT			
	6.50 - 16	6PR	TF-05	TT			
	6.50 - 16	8PR	TF-03	TT			
	7.50 - 16	6PR	TF-01	TT			
	7.50 - 16	6PR	TF-03	TT			
	7.50 - 16	6PR	TF-05	TT			
	7.50 - 16	8PR	TF-03	TT			
	9.00 - 16	6PR	TF-03	TT			
18"	9.00 - 16	8PR	TF-03	TT			
	10.00 - 16	8PR	TF-03	TT			
	10.00 - 16	8PR	TF-03	TL			
	11L - 16	10PR	IM-05	TL			
	6.00 - 18	6PR	TF-03	TT			
	6.00 - 18	6PR	TF-04	TT			
	20"	6.50 - 20	6PR	TF-03	TT		
6.50 - 20		6PR	TF-04	TT			
6.50 - 20		6PR	TF-05	TT			
7.50 - 20		6PR	TF-01	TT			
7.50 - 20		6PR	TF-03	TT			
7.50 - 20		6PR	TF-05	TT			

## Implement Radial Tyres



AGRITERRA 02    AGRITERRA 03    AR-01    AR-02    AR-03    AR-04    AR-05  
 UNI SERVICE    ALL TERRAIN    AG TRAILER

Rim	Size	Equivalen	LVSS	Pattern	TL/IT	Code	Price
17"	440/50 R 17 IMP		135D	AR-04	TL		
	500/50 R 17 IMP		149D	AR-03	TL		
18"	355/60 R 18 MPT		142J	AR-05	TL		
22.5"	385/65 R 22.5	(15R22.5)	161F	AR-01	TL		
	445/65 R 22.5	(18R22.5)	169F	AR-01	TL		
	460/65 R 22.5 IMP		168A8 / 156A8	AR-01	TL		
	500/60 R 22.5 IMP		161D	AGRITERRA 02	TL		
	560/60 R 22.5 IMP		161D	AR-02	TL		
	560/60 R 22.5 IMP		165D	AGRITERRA 02	TL		
	600/60 R 22.5 IMP		163D	AGRITERRA 02	TL		
	600/50 R 22.5 IMP		167D	AGRITERRA 02	TL		
	710/45 R 22.5 IMP		165D	AGRITERRA 02	TL		
26.5"	600/55 R 26.5 IMP		165D	AGRITERRA 02	TL		
	650/55 R 26.5 IMP		169D	AGRITERRA 02	TL		
	650/65 R 26.5 IMP		174D	AGRITERRA 02	TL		
	710/50 R 26.5 IMP		170D	AGRITERRA 02	TL		
	800/45 R 26.5 IMP		174D	AGRITERRA 02	TL		
30.5"	650/65 R 30.5 IMP		176D	AGRITERRA 03	TL		
	750/60 R 30.5 IMP		181D	AGRITERRA 03	TL		
	850/50 R 30.5 IMP		182D	AGRITERRA 02	TL		

# Implement Diagonal Tyres



B2 B5 B6 IM-01 IM-02 IM-03 IM-04 IM-06 IM-07 IM-08 IM-09 IM-10

Rim	Size	PR	Pattern	TL/TT	Code	Price	Note
8"	16 x 4	4PR	B2	TT			
	16 x 4	4PR	B5	TT			
	3.50 - 8	2PR	B6	TT			
12"	10.0/80 - 12	8PR	IM-04	TT			
	10.0/80 - 12	8PR	IM-04	TL			
	10.0/80 - 12	8PR	IM-08	TL			
	10.0/80 - 12	10PR	IM-04	TL			
14.5"	200/60 - 14.5	10PR	IM-10	TT			
	200/60 - 14.5	10PR	IM-10	TL			
15.3"	10.0/75 - 15.3	10PR	IM-04	TT			
	10.0/75 - 15.3	10PR	IM-04	TL			
	10.0/75 - 15.3	12PR	IM-04	TT			
	10.0/75 - 15.3	12PR	IM-04	TL			
	10.0/75 - 15.3	14PR	IM-04	TT			
	10.0/75 - 15.3	14PR	IM-04	TL			
	10.0/75 - 15.3	14PR	IM-04	TT			Reinforced
	10.0/75 - 15.3	14PR	IM-04	TL			Reinforced
	10.0/75 - 15.3	18PR	IM-04	TL			
	10.0/75 - 15.3	18PR	IM-04	TL			
	11.5/80 - 15.3	10PR	IM-04	TT			
	11.5/80 - 15.3	10PR	IM-04	TL			
	11.5/80 - 15.3	12PR	IM-04	TT			
	11.5/80 - 15.3	12PR	IM-04	TL			
11.5/80 - 15.3	14PR	IM-04	TT				
11.5/80 - 15.3	14PR	IM-04	TL				
11.5/80 - 15.3	16PR	IM-04	TT				
11.5/80 - 15.3	16PR	IM-04	TL				
11.5/80 - 15.3	16PR	IM-04	TT			Reinforced	
12.5/80 - 15.3	14PR	IM-04	TL				
15.5"	400/60 - 15.5	14PR	IM-07	TL			
	400/60 - 15.5	145A8	IM-07	TL			Reinforced
	400/60 - 15.5	152A8	IM-07	TL			
16"	10.50 - 16	14PR	IM-01	TT			
17"	15.0/55 - 17	10PR	IM-04	TL			
	15.0/55 - 17	14PR	IM-04	TL			
	19.0/45 - 17	14PR	IM-04	TL			
	19.0/45 - 17	18PR	IM-04	TL			
	500/50 - 17	14PR	IM-07	TL			
	500/50 - 17	18PR	IM-07	TL			
18"	12.5/80 - 18	14PR	IM-03	TT			
	12.5/80 - 18	14PR	IM-04	TT			
	12.5/80 - 18	16PR	IM-03	TT			
	12.5/80 - 18	16PR	IM-04	TT			
	13.0/65 - 18	16PR	IM-04	TT			
	13.0/65 - 18	16PR	IM-04	TL			Reinforced
	13.00 - 18	12PR	IM-02	TT			
	14.5/80 - 18	12PR	IM-03	TT			
22.5"	500/60 - 22.5	16PR	IM-09	TL			
	550/60 - 22.5	16PR	IM-09	TL			

# Implement Traction Diagonal Tyres **Mitas**



Rim	Size	PR	Pattern	TL/TT	Code	Price	Note
12"	11.0/65 - 12	8PR	TD-10	TL			
15"	31x15.50 - 15	8PR	TR-06	TL			
	31x15.50 - 15	8PR	TR-07	TL			
15.3"	10.0/75 - 15.3	10PR	TR-03	TL			
	10.0/75 - 15.3	10PR	TR-04	TT			
	10.0/75 - 15.3	10PR	TR-04	TL			
	10.0/75 - 15.3	12PR	TR-03	TL			
	10.0/75 - 15.3	14PR	TR-03	TL			
	11.5/80 - 15.3	10PR	TR-03	TL			
	11.5/80 - 15.3	14PR	TR-03	TT			
15.5"	11.5/80 - 15.3	14PR	TR-03	TL			
	400/60 - 15.5	14PR	TR-08	TL			
	400/60 - 15.5	145A8	TR-08	TL			Reinforced
17"	15.0/55 - 17	10PR	TR-01	TL			
	15.0/55 - 17	12PR	TR-01	TL			
	480/45 - 17	146A8/134A8	TR-01	TL			
18"	275/80 - 18	10PR	TD-10	TL			
	12.0/75 - 18	12PR	TR-03	TL			
	12.0/75 - 18	12PR	TR-11	TL			
	12.5/80 - 18	12PR	TR-09	TL			S116
	320/80 - 18	10PR	TD-10	TL			
	14.5/80 - 18	12PR	TR-05	TT			
20"	360/80 - 20	8PR	TD-10	TL			
	400/70 - 20	14PR	TD-10	TL			
	400/70 - 20	150B	TR-01	TL			
22.5"	500/60 - 22.5	12PR	TR-08	TL			
	500/60 - 22.5	16PR	TR-08	TL			
	500/60 - 22.5	152A8	TR-12	TL			
	500/60 - 22.5	158A8	TR-12	TL			
	550/60 - 22.5	16PR	TR-08	TL			
	550/60 - 22.5	171A8	TR-08	TL			
	600/40 - 22.5	16PR	TR-12	TL			
	600/50 - 22.5 HD	168A8/156A8	TR-08	TL			
	600/50 - 22.5	16PR	TR-08	TL			
24"	15.5/80 - 24	12PR	TR-01	TL			
	15.5/80 - 24	14PR	TR-01	TL			Reinforced
	15.5/80 - 24	16PR	TR-01	TL			
	15.5/80 - 24	16PR	TD-10	TL			
	15.5/80 - 24	163A8	TR-01	TL			
	16.5/85 - 24	14PR	TD-10	TL			
	17.5L - 24	10PR	TR-01	TL			

## Tractor Small Diagonal Tyres



TS-01   TS-02   TS-03   TS-04   TS-05   TS-06   TS-07   TD-13   TD-10

Rim	Size	PR	Pattern	TL/TT	Code	Price	Note
8"	4.00 - 8	2PR	TS-01	TT			
	4.00 - 8	2PR	TS-01	TT			Reinforced
10"	4.0 - 10	4PR	TS-03	TT			
	5.0 - 10	2PR	TS-03	TT			
	5.0 - 10	4PR	TS-03	TT			
12"	5.00 - 12	2PR	TS-02	TT			
	5.00 - 12	4PR	TS-02	TT			
	5.00 - 12	6PR	TS-02	TT			
	6.5/80 - 12	4PR	TS-06	TT			
	6.5/80 - 12	6PR	TS-06	TT			
14"	6.5/75 - 14	4PR	TS-02	TT			
15"	5.00 - 15	4PR	TS-06	TT			
	5.00 - 15	6PR	TS-06	TT			
	6.5/80 - 15	4PR	TS-06	TT			
	6.5/80 - 15	6PR	TS-06	TT			
	6.5/80 - 15	8PR	TS-06	TT			
15.3"	690x180 - 15	4PR	TS-07	TT			
	10.0/75 - 15.3	8PR	TS-05	TL			
	10.0/75 - 15.3	10PR	TS-05	TL			
	11.5/80 - 15.3	10PR	TS-05	TL			
	11.5/80 - 15.3	14PR	TS-05	TL			
16"	6.00 - 16	6PR	TS-04	TT			
	6.00 - 16	6PR	TD-13	TT			
	6.00 - 16	8PR	TS-04	TT			
	6.50 - 16	8PR	TD-10	TL			
	7.50 - 16	6PR	TS-04	TT			
	7.50 - 16	6PR	TD-13	TT			
	7.50 - 16	6PR	TS-04	TL			
	7.50 - 16	8PR	TS-04	TT			
	7.50 - 16	8PR	TS-04	TL			Reinforced
20"	7.50 - 20	6PR	TS-04	TT			
	7.50 - 20	6PR	TD-13	TT			



### Load index

LI	kg	LI	kg	LI	kg	LI	kg	LI	kg	LI	kg
30	106	61	257	92	630	123	1.550	154	3.750	185	9.250
31	109	62	265	93	650	124	1.600	155	3.875	186	9.500
32	112	63	272	94	670	125	1.650	156	4.000	187	9.750
33	115	64	280	95	690	126	1.700	157	4.125	188	10.000
34	118	65	290	96	710	127	1.750	158	4.250	189	10.300
35	121	66	300	97	730	128	1.800	159	4.375	190	10.600
36	125	67	307	98	750	129	1.850	160	4.500	191	10.900
37	128	68	315	99	775	130	1.900	161	4.625	192	11.200
38	132	69	325	100	800	131	1.950	162	4.750	193	11.500
39	136	70	335	101	825	132	2.000	163	4.875	194	11.800
40	140	71	345	102	850	133	2.060	164	5.000	195	12.150
41	145	72	355	103	875	134	2.120	165	5.150	196	12.500
42	150	73	365	104	900	135	2.180	166	5.300	197	12.850
43	155	74	375	105	925	136	2.240	167	5.450	198	13.200
44	160	75	387	106	950	137	2.300	168	5.600	199	13.600
45	165	76	400	107	975	138	2.360	169	5.800	200	14.000
46	170	77	412	108	1.000	139	2.430	170	6.000	201	14.500
47	175	78	425	109	1.030	140	2.500	171	6.150	202	15.000
48	180	79	437	110	1.060	141	2.575	172	6.300	203	15.500
49	185	80	450	111	1.090	142	2.650	173	6.500	204	16.000
50	190	81	462	112	1.120	143	2.725	174	6.700	205	16.500
51	195	82	475	113	1.150	144	2.800	175	6.900	206	17.000
52	200	83	487	114	1.180	145	2.900	176	7.100	207	17.500
53	206	84	500	115	1.215	146	3.000	177	7.300	208	18.000
54	212	85	515	116	1.250	147	3.075	178	7.500	209	18.500
55	218	86	530	117	1.285	148	3.150	179	7.750	210	19.000
56	224	87	545	118	1.320	149	3.250	180	8.000	211	19.500
57	230	88	560	119	1.360	150	3.350	181	8.250		
58	236	89	580	120	1.400	151	3.450	182	8.500		
59	243	90	600	121	1.450	152	3.550	183	8.750		
60	250	91	615	122	1.500	153	3.650	184	9.000		

### Speed symbol

Speed symbol	A1	A2	A3	A4	A5	A6	A7	A8	B	D	E	F	G	J	K
Speed (km/h)	5	10	15	20	25	30	35	40	50	65	70	80	90	100	110

### Conversion table

Length
1 millimeter (mm) = 0.3937 "
1 inch (") = 25.4 mm = 0.0254 m
1 meter (m) = 3.281 ft
1 foot (ft) = 0.3048 m
1 kilometer (km) = 0.6214 mile
1 mile = 1609 m = 1.609 km

Weight
1 pound (lb) = 0.4536 kg
1 kilogram (kg) = 2.205 lb

Volume
1 liter (l) = 0.21 gall
1 imperial gallon (imp.gal) = 4.55 l

Pressure
1 p.s.i. (lb/in2) = 6.895 kPa
1 kg/cm2 = 98.066 kPa
1 bar = 100 kPa